

## SECTION 1: IDENTIFICATION

#### **1.1 GHS Product identifier:**

WAC202 - Speed Wipe Quick Detailer & High Shine Spray Gloss

#### Other means of identification:

Not applicable (N/A)

### 1.2 Recommended use of the chemical and restrictions on use:

Relevant uses: Bodywork cleaning

Uses advised against: All uses not specified in this section or in section 7.3

### 1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Chemical Guys 3501 Sepulveda Blvd 90505 Torrance - California - United States Phone: 866-822-3670 - Fax: 310-988-1061 info@ChemicalGuys.com www.ChemicalGuys.com

1.4 Emergency phone number: 866-822-3670

## SECTION 2: HAZARD(S) IDENTIFICATION

### 2.1 Classification of the substance or mixture:

### 29 CFR 1910.1200:

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

### 2.2 Label elements:

## 29 CFR 1910.1200:

Hazard statements:

Not applicable (N/A)

### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P501: Dispose of the contents/containers according to the local, state and federal regulations.

### Additional labeling:

Keep out of the reach of children

### 2.3 Hazards not otherwise classified (HNOC):

Not applicable (N/A)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances:

Non-applicable

### 3.2 Mixtures:

Chemical description: Aqueous mixture composed of additives

### Components:

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	67-63-0	<b>propan-2-ol</b> Eye Irrit. 2A: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	1 - <2.5 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.



## SECTION 4: FIRST-AID MEASURES

### 4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

## By inhalation:

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

### By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS of this product.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not applicable (N/A)

### SECTION 5: FIRE-FIGHTING MEASURES

### 5.1 Suitable (and unsuitable) extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

### 5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) Additional provisions:

# Ac in any fire, provent human expecting

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.



## SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

## 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

#### 6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportables quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802. Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.:41 °FMaximum Temp.:86 °FMaximum time:6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be assessed in the workplace:

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000):

Identification	Occup	Occupational exposure limits		
propan-2-ol	8-hour TWA PEL	400 ppm	980 mg/m <sup>3</sup>	
CAS: 67-63-0	Ceiling Values - TWA PEL			

US. ACGIH Threshold Limit Values (2022):

Identification	Occupational exposure limits		
propan-2-ol	TLV-TWA	200 ppm	
CAS: 67-63-0	TLV-STEL	400 ppm	

Safety data sheet according to 29 CFR 1910.1200



## WAC202 - Speed Wipe Quick Detailer & High Shine Spray Gloss

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

Identification	Occupa	ational exposure lir	nits
propan-2-ol	PEL	400 ppm	980 mg/m <sup>3</sup>
CAS: 67-63-0	STEL	500 ppm	1225 mg/m <sup>3</sup>

#### **Biological limit values:**

Biological Exposure Indices (BEIs®) - ACGIH

Identification	BEIs®	Determinant	Sampling Time
propan-2-ol CAS: 67-63-0	40 mg/L	Acetone in urine	End of shift at end of workweek

#### 8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Not applicable (N/A)

- D.- Eye and face protection
  - Not applicable (N/A)
- E.- Bodily protection

Not applicable (N/A)

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

#### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

Appearance:	
Physical state at 68 °F:	Liquid
Appearance:	Translucent
Color:	Pink
Odor:	Fruity
Odour threshold:	Not applicable (N/A) *
Volatility:	
Boiling point at atmospheric pressure:	212 °F
Vapour pressure at 68 °F:	2356 Pa
Vapour pressure at 122 °F:	12409.22 Pa (12.41 kPa)
Evaporation rate at 68 °F:	Not applicable (N/A) *
Product description:	
Density at 68 °F:	1029.2 kg/m <sup>3</sup>
*Not applicable (N/A) due to the nature of the product	, not providing information property of its hazards.

Revised: 8/26/2024



SECT	TON 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Relative density at 68 °F:	1.029
	Dynamic viscosity at 68 °F:	Not applicable (N/A) *
	Kinematic viscosity at 68 °F:	Not applicable (N/A) *
	Kinematic viscosity at 104 °F:	Not applicable (N/A) *
	Concentration:	Not applicable (N/A) *
	pH:	4.04
	Vapour density at 68 °F:	Not applicable (N/A) *
	Partition coefficient n-octanol/water 68 °F:	Not applicable (N/A) *
	Solubility in water at 68 °F:	Not applicable (N/A) *
	Solubility properties:	Not applicable (N/A) *
	Decomposition temperature:	Not applicable (N/A) *
	Melting point/freezing point:	Not applicable (N/A) *
	Flammability:	
	Flash Point:	Non Flammable (>199.4 °F)
	Flammability (solid, gas):	Not applicable (N/A) *
	Autoignition temperature:	377 ºF
	Lower flammability limit:	Not applicable (N/A) *
	Upper flammability limit:	Not applicable (N/A) *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard class	sses:
	Explosive properties:	Not applicable (N/A) *
	Oxidising properties:	Not applicable (N/A) *
	Corrosive to metals:	Not applicable (N/A) *
	Heat of combustion:	Not applicable (N/A) *
	Aerosols-total percentage (by mass) of flammable components:	Not applicable (N/A) *
	Other safety characteristics:	
	Surface tension at 68 °F:	Not applicable (N/A) *
	Refraction index:	Not applicable (N/A) *
	*Not applicable (N/A) due to the nature of the product, not provi	iding information property of its hazards.
SECT	ION 10: STABILITY AND REACTIVITY	
10.1	Reactivity:	
		duct is stable under recommended storage conditions. See section 7 from
10.2	Safety Data Sheet. Chemical stability:	

Chemically stable under the indicated conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

## **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

# **10.5** Incompatible materials:

Safety data sheet according to 29 CFR 1910.1200



# WAC202 - Speed Wipe Quick Detailer & High Shine Spray Gloss

	Acids	Water	Oxidising materials	Combustible materials	Others
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases
L0.6	Hazardous decomposition p See subsection 10.3, 10.4 and 2 complex mixtures of chemical s	10.5 to find out the			
SECT	ION 11: TOXICOLOGICAL I	NFORMATION		-	
1.1	Information on toxicologica	l effects:			
	The experimental information re	elated to the toxicol	ogical properties of the pro	oduct itself is not available	
	Dangerous health implication	ons:			
	In case of exposure that is repe limits, it may result in adverse e A- Ingestion (acute effect):				occupational exposure
	<ul> <li>Acute toxicity: Based on hazardous for consumption.</li> <li>Corrosivity/Irritability: Ba classified as hazardous for t</li> <li>B- Inhalation (acute effect):</li> </ul>	For more information sed on available dat	on see section 3 a, the classification criteria	a are not met, as it does n	
	<ul> <li>Acute toxicity : Based or as hazardous for inhalation.</li> <li>Corrosivity/Irritability: Ba classified as hazardous for t</li> <li>Contact with the skin and th</li> </ul>	For more informations of a vailable dat his effect. For more	on see section 3. a, the classification criteria information see section 3.	a are not met, as it does n	
	<ul> <li>Contact with the skin: Baclassified as hazardous for s</li> <li>Contact with the eyes: Baclassified as hazardous for t</li> <li>CMR effects (carcinogenicity)</li> </ul>	kin contact. For mor ased on available da his effect. For more	re information see section ta, the classification criteri information see section 3.	3. a are not met. However, i	
	<ul> <li>Carcinogenicity: Based or as hazardous for the effects IARC: propan-2-ol (3); d-l</li> <li>Mutagenicity: Based on a hazardous for this effect. Fo</li> <li>Reproductive toxicity: Ba classified as hazardous for t</li> <li>Sensitizing effects:</li> </ul>	mentioned. For mod limonene (3); Coum available data, the cla or more information s sed on available dat	re information see section arin (3) assification criteria are not see section 3. a, the classification criteria	3. : met, as it does not contai a are not met, as it does no	in substances classified a
	<ul> <li>Respiratory: Based on av hazardous with sensitising e</li> <li>Skin: Based on available hazardous for this effect. Fo</li> <li>F- Specific target organ toxicity</li> </ul>	effects. For more info data, the classification or more information s	ormation see section 3. on criteria are not met, as see section 3.		
	Based on available data, the inhalation. For more informa G- Specific target organ toxicity	ation see section 3.		t contains substances clas	sified as hazardous for
	<ul> <li>Specific target organ toxi it does not contain substance</li> <li>Skin: Based on available hazardous for this effect. For H- Aspiration hazard:</li> </ul>	es classified as haza data, the classificati	ardous for this effect. For r on criteria are not met, as	nore information see section	on 3.
	Based on available data, the this effect. For more information		a are not met, as it does r	not contain substances clas	ssified as hazardous for



## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Not applicable (N/A)

#### Specific toxicology information on the substances:

Identification			Acute toxicity	
propan-2-ol		LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0		LD50 dermal	12800 mg/kg	Rat
		LC50 inhalation	72.6 mg/L (4 h)	Rat

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### 12.1 Ecotoxicity (aquatic and terrestrial, where available):

Acute toxicity:

Identification		Concentration	Species	Genus
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae

### 12.2 Persistence and degradability:

#### Substance-specific information:

Identification	Degradability		Biodegradability	
propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
	BOD5/COD	0.53	% Biodegradable	86 %

### **12.3** Bioaccumulative potential:

Substance-specific information:

Identification		Bioaccumulation potential	
propan-2-ol	BCF		3
CAS: 67-63-0	Pow Log		0.05
	Potential		Low

### **12.4** Mobility in soil:

Identification	Absorption/desorption		Volatility	
propan-2-ol	Кос	1.5	Henry	8.207E-1 Pa·m <sup>3</sup> /mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
	Surface tension	2.24E-2 N/m (77 ºF)	Moist soil	Yes

### 12.5 Results of PBT and vPvB assessment:

Non-applicable

## **12.6 Other adverse effects:**

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Disposal methods:

Wastes generated by normal household activities (e.g., routine house and yard maintenance) are excluded from the definition of hazardous waste (Title 40 of the Code of Federal Regulations Part 261.4)

### Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

## Regulations related to waste management:

Safety data sheet according to 29 CFR 1910.1200



## WAC202 - Speed Wipe Quick Detailer & High Shine Spray Gloss

# SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

# SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:

the regard to is circon the mansport of Bungerous coousi		
14.1	UN number:	Not applicable (N/A)
14.2	UN proper shipping name:	Not applicable (N/A)
14.3	Transport hazard class(es):	Not applicable (N/A)
	Labels:	Not applicable (N/A)
14.4	Packing group, if applicable:	Not applicable (N/A)
14.5	Marine pollutant:	No

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Physico-Chemical properties: see section 9

14.7 Transport in bulk (according Not applicable (N/A) to Annex II of MARPOL 73/78 and the IBC Code):

Transport of dangerous goods by sea:

5 5 7				
ard to IMDG 41-22:				
UN number:	Not applicable (N/A)			
UN proper shipping name:	Not applicable (N/A)			
Transport hazard class(es):	Not applicable (N/A)			
Labels:	Not applicable (N/A)			
Packing group, if applicable:	Not applicable (N/A)			
Marine pollutant:	No			
4.6 Special precautions which a user needs to be aware of, or needs to comply with, in				
	conveyance either within or outside their premises			
1 5	Not applicable (N/A)			
	see section 9			
	Not applicable (N/A)			
5 5 5 1	Not applicable (N/A)			
	Not applicable (N/A)			
Transport of dangerous goods by air:				
With regard to IATA/ICAO 2024:				
IIN number	Not applicable (N/A)			
••••	Not applicable (N/A)			
	Not applicable (N/A)			
Labels:	Not applicable (N/A)			
Packing group, if applicable:				
Marine pollutant:	No			
Special precautions which a u	user needs to be aware of, or needs to comply with, in			
connection with transport or conveyance either within or outside their premises				
Physico-Chemical properties:	see section 9			
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Not applicable (N/A)			
	UN number: UN proper shipping name: Transport hazard class(es): Labels: Packing group, if applicable: Marine pollutant: Special precautions which a u connection with transport or Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): rt of dangerous goods by air: ard to IATA/ICAO 2024: UN number: UN proper shipping name: Transport hazard class(es): Labels: Packing group, if applicable: Marine pollutant: Special precautions which a u connection with transport or Physico-Chemical properties: Transport in bulk (according to Annex II of MARPOL			



## SECTION 15: REGULATORY INFORMATION

#### **15.1** Safety, health and environmental regulations specific for the product in question:

- CALIFORNIA LABOR CODE - The Hazardous Substances List: *propan-2-ol (67-63-0)*; *Acetic acid (64-19-7)*; *Ethyl acetate (141-78-6)*; *Coumarin (91-64-5)*; *potassium hydroxide (1310-58-3)* 

- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Birth defects or other reproductive harm: Not applicable (N/A)

- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Cancer: Not applicable (N/A)

- CANADA-Domestic Substances List (DSL): *Poly(dimethylsiloxane) (63148-62-9)*; *Water (7732-18-5)*; *propan-2-ol (67-63-0)*; *Acetic acid (64-19-7)*; *Oxydipropanol (25265-71-8)*; *Ethyl acetate (141-78-6)*; *2-ethyl-3-hydroxy-4-pyrone (4940-11-8)*;

4-(4-hydroxyphenyl)butan-2-one (5471-51-2); Vanillin (121-33-5); Citral (5392-40-5); Allyl hexanoate (123-68-2); 2-(4-tert-butylbenzyl) propionaldehyde (80-54-6); Hydroxy-methylpentylcyclohexenecarboxaldehyde (31906-04-4); d-limonene (5989-27-5); benzaldehyde (100-52-7); Coumarin (91-64-5); Nerol (106-25-2); Citral (5392-40-5); Magnesium nitrate (10377-60-3); Magnesium chloride (7786-30-3); Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and

2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9); 1,2-benzisothiazol-3(2H)-one (2634-33-5); potassium hydroxide (1310-58-3) - CANADA-Non-Domestic Substances List (NDSL): Not applicable (N/A)

- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: Acetic acid (64-19-7) - 5000 lb; Ethyl acetate (141-78-6) - U112; potassium hydroxide (1310-58-3) - 1000 lb

- Hazardous Air Pollutants (Clean Air Act): Not applicable (N/A)

- Massachusetts RTK - Substance List: propan-2-ol (67-63-0); Acetic acid (64-19-7); Ethyl acetate (141-78-6); benzaldehyde (100-52-7); Magnesium nitrate (10377-60-3); potassium hydroxide (1310-58-3)

- Minnesota - Hazardous substances ERTK: propan-2-ol (67-63-0); Acetic acid (64-19-7); Ethyl acetate (141-78-6); benzaldehyde (100-52-7); potassium hydroxide (1310-58-3)

- New Jersey Worker and Community Right-to-Know Act: *propan-2-ol* (67-63-0); Acetic acid (64-19-7); Ethyl acetate (141-78-6); benzaldehyde (100-52-7); Magnesium nitrate (10377-60-3); potassium hydroxide (1310-58-3)

- New York RTK - Substance list: propan-2-ol (67-63-0); Acetic acid (64-19-7); Ethyl acetate (141-78-6); benzaldehyde (100-52-7); Magnesium nitrate (10377-60-3); potassium hydroxide (1310-58-3)

- NTP (National Toxicology Program): Not applicable (N/A)

- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Not applicable (N/A)

- Pennsylvania Worker and Community Right-to-Know Law: *propan-2-ol (67-63-0)*; *Acetic acid (64-19-7)*; *Oxydipropanol (25265-71-8)*; *Ethyl acetate (141-78-6)*; *benzaldehyde (100-52-7)*; *Magnesium nitrate (10377-60-3)*; *potassium hydroxide (1310-58-3)* 

- Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: *Poly(dimethylsiloxane) (63148-62-9)*; *propan-2-ol (67-63-0)*; *Acetic acid (64-19-7)*; *Ethyl acetate (141-78-6)*; *d-limonene (5989-27-5)*; *benzaldehyde (100-52-7)*; *Coumarin (91-64-5)*; *Magnesium nitrate (10377-60-3)*; *Magnesium chloride (7786-30-3)*; *Potassium iodate (7758-05-6)*; *potassium hydroxide (1310-58-3)* 

- Rhode Island - Hazardous substances RTK: Acetic acid (64-19-7); Ethyl acetate (141-78-6); potassium hydroxide (1310-58-3)

- The Toxic Substances Control Act (TSCA) : *Fatty alcohol ethoxylated (160875-66-1)*; *Poly(dimethylsiloxane) (63148-62-9)*; *Water (7732-18-5)*; *propan-2-ol (67-63-0)*; *Acetic acid (64-19-7)*; *Oxydipropanol (25265-71-8)*; *Ethyl acetate (141-78-6)*; *2-ethyl-3-hydroxy-4-pyrone (4940-11-8)*; *4-(4-hydroxyphenyl)butan-2-one (5471-51-2)*; *Vanillin (121-33-5)*; *Citral (5392-40-5)*; *Allyl hexanoate (123-68-2)*; *2-(4-tert-butylbenzyl) propionaldehyde (80-54-6)*;

Hydroxy-methylpentylcyclohexenecarboxaldehyde (31906-04-4); d-limonene (5989-27-5); benzaldehyde (100-52-7); Coumarin (91-64-5); Nerol (106-25-2); Citral (5392-40-5); Magnesium nitrate (10377-60-3); Magnesium chloride (7786-30-3); 1 2-benziscthiazol-3(2H)-one (2634-33-5); potacium bydroxide (1310-58-3)

1,2-benzisothiazol-3(2H)-one (2634-33-5); potassium hydroxide (1310-58-3) - Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): propan-2-ol (67-63-0); Magnesium nitrate (10377-60-3)

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

### Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

## SECTION 16: OTHER INFORMATION

### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets **Texts of the legislative phrases mentioned in section 3:** 

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

## 29 CFR 1910.1200:



### SECTION 16: OTHER INFORMATION (continued)

Eye Irrit. 2A: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness. Advice related to training: According to 29 CFR 1910. 1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label. Principal bibliographical sources: Occupational Safety & Health Administration (OSHA). Abbreviations and acronyms: IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

IARC: International Agency for Research on Cancer

Date of compilation: 8/14/2023 Revised: 8/26/2024

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).